























EXCEPTIONAL COMFORT.

Savage A40's lightweight shell comes with all-new adjustable headgear to provide exceptional comfort while protecting from heat, sparks, and spatter – no matter the application.





EXTREME TECHNOLOGY.

With Savage A40, the sensitivity and delay controls inside the helmet allow for seamless setting adjustments. And Savage A40's four light sensors provide a faster auto-darkening response, especially when working out of position.





9-13 SHADE KNOB

WLD EXTERNAL FEATURES.

Just like Sentinel, Savage A40 comes with an externally activated grind mode button for superior convenience. And its DIN 9–13 adjustment knob makes it easy to change shades, even while wearing a heavy glove.

PICK THE HOOD THAT'S BEST FOR YOU.

Whether you choose the new Savage A40 or our best-selling Sentinel A50 professional welding helmet, you'll gain a killer combination of technology and performance for your money.

ESAB "

| SAVAGE A40 | | SENTINEL A50 | |
|--|------------------------------------|---|--|
| 1/1/1/2 | Optical Class | 1/1/1/2 | |
| 100 x 50 mm | Viewing Area | 100 x 60 mm | |
| Yes | True Color Technology | Yes | |
| No | Touchscreen Interface | Yes, color | |
| DIN 9-13 automatic | Lens Shade | DIN 5-13 automatic | |
| External | Shade Control | Internal | |
| Yes | External Grind Mode Button | Yes | |
| 4 | Sensors | 4 | |
| Solar cell, 1x replaceable battery CR2450 lithium; alerts when low battery | Power Supply | Solar cell plus two replaceable batteries (CR2450 lithium); alerts when low battery | |
| 0.1-0.9 s | Switch Time, from Dark to Light | 0.1–1.0 s | |
| 3-point, adjustable | Headgear | HALO [™] 5-point comfort harness, infinitely adjustable | |
| Yes | Hard Hat Adapter Enabled | Yes | |
| None | Memory Settings | 8 separate memory settings | |
| 500 g | Weight | 640 g | |
| High | Impact Rating | High | |





SPECIFICATIONS AND ORDERING INFORMATION.

| SPECIFICATIONS | | | | |
|---------------------------------|---|--|--|--|
| Cartridge Dimensions | 110 x 90 x 7.5 mm | | | |
| Viewing Area | 100 x 50 mm | | | |
| Lens Shade | 9-13 automatic | | | |
| Power Supply | Solar cell, replaceable battery (1 x CR2450 lithium); alerts when low battery | | | |
| Sensors | 4 | | | |
| Impact Rating | High | | | |
| Switch Time, from Light to Dark | 0.1–0.9 s | | | |
| Switch Time, at 23°C | 0.07 ms | | | |
| Classification | 1/1/1/2 | | | |
| Standards | CE EN379 and EN175, ANSI, CSA, AS/NZS | | | |
| Weight | 500 g | | | |
| Warranty | 3 Years - See operating manual for details | | | |

| ORDERING | INFORM | ИДТІОН |
|-----------------|--------|--------|
| CINDLINING | | |

Savage A40 9–13 Black 0700000490

| WEAR AND SPARE PARTS | | | |
|------------------------------|------------|--|--|
| Headgear | 0700000483 | | |
| Sweat Band | 0700000414 | | |
| Front Cover Lens | 0464691000 | | |
| Inside Cover Lens | 0464691001 | | |
| ADF Cradle | 0700000418 | | |
| Lens Retainer with Screw | 0700000419 | | |
| Magnifying Lens +1.0 Diopter | 0700000084 | | |
| Magnifying Lens +1.5 Diopter | 0700000085 | | |
| Magnifying Lens +2.0 Diopter | 0700000086 | | |
| Magnifying Lens +2.5 Diopter | 0700000087 | | |





Elevate your performance by ordering the new Savage A40 welding helmet today.

For more information visit cigweld.com.au





Tel: 1300 654 674 Email: enquiries@cigweld.com.au CIGWELD.COM.AU | ESAB.COM.AU







